

L Number	Hits	Search Text		Time stamp
7	50	717/137.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/14 13:25
8	133	717/143.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/14 13:25
9	160	717/141.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/14 13:27
10	160	717/140.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/14 13:27
-	0	translat\$3 near5 (extended adj grammar) near5 (basic adj grammar)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/12 10:11
-	0	translat\$3 near5 (extended adj grammar)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/12 10:11
-	0	translat\$3 with (extended adj grammar)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/12 10:12
-	2	translat\$3 with (extended with grammar)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/12 10:12

-	92	{"5754865" "5408665" "6286135" "5425128" "5481708" "5535391" "5842204" "6006031" "5230049" "5651111" "5371747" "5367683" "5446899" "5535392" "6332142" "5694603" "6223337" "6223337" "5204939" "6002867" "5848274" "5903756" "5412567" "5778231" "6298481" "5812855" "6400289" "5978586" "5978585" "5519866" "6106574" "6129460" "6456308" "5920723" "5815720" "6016467" "5812853" "5940620" "5560009" "5774726" "5581696" "6085029" "5386570" "6442663" "5978587" "5835771" "4931928" "5764989" "6397379" "5202977").pn. 	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/12 10:14
-	852	translator and compiler	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/12 10:49
-	402	file\$1 with grammar	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/12 10:50
-	0	file\$1 with ("X.680" or "X.681" or "X.682" or "X.683") with grammar	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/12 11:34
-	0	(file\$1 with grammar) and ("X.680" or "X.681" or "X.682" or "X.683")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/12 10:52

-	2	((translator and compiler) and (lookup adj table\$1)) and (file\$1 with grammar)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/12 10:53
-	58	(translator and compiler) and (lookup adj table\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/12 12:01
-	2	5973696.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/12 11:33
-	8	X.680	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/12 11:33
-	0	file\$1 with (X.680 or X.681 or X.682 or X.683) with grammar	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/12 11:34
-	0	file\$1 with grammar and (X.680 or X.681 or X.682 or X.683)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/12 11:34
-	0	translat\$3 with extended adj grammar adj constructs	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/12 13:25
-	0	translat\$3 with extended adj grammar adj construct\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/12 13:26
-	0	translat\$3 with (extended adj grammar adj construct\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/12 12:02
-	0	translat\$3 with (extended with grammar with construct\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/12 12:04
-	0	translat\$3 same (extended with grammar with construct\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/12 12:04
-	0	translat\$3 same (extend\$2 with grammar with construct\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/12 12:04
-	0	translat\$3 and (extend\$2 with grammar with construct\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/12 12:04
-	0	translat\$3 and (basic with grammar with construct\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/12 12:05

-	539	translat\$4 with grammar	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/12 13:26
-	0	translat\$4 with extended adj grammar adj constructs	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/12 13:25
-	0	translat\$4 with extended adj grammar adj construct\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/12 13:26
-	0	X.680 and (translat\$4 with grammar)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/12 13:27
-	94	("5892950" "5778212" "6249907" "6434742" "6292830" "5835701" "6206584" "5317740" "5956512" "5991538" "5920830" "5870749" "6233726" "5937191" "6219628" "6219628" "5640550" "5432942" "5872977" "5956510" "5983019" "5404531" "5701490" "5758163" "5892951" "5963742" "5991539" "5768564" "6031993" "6131187" "5815716" "6403337" "5546522" "6009422" "5193180" "5335344" "5535329" "5845126" "5911070" "6041181" "5423042" "5522079" "6148437" "6233725" "5901308" "5450545" "5812851" "6151703" "5933826" "6131082") .pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/12 14:27

-	7	translat\$4 with (grammar with construct\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/12 16:45
-	498	translat\$4 with (lookup adj table\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/13 18:34
-	0	X.681	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/13 11:35
-	1	X.682	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/13 11:35
-	0	(machine adj readable adj language) with ((abstract adj syntax adj notation adj one) or ASN.1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/13 11:39
-	0	(machine near5 readable near5 language) with ((abstract adj syntax adj notation adj one) or ASN.1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/13 11:39
-	1	(machine near5 language) with ((abstract adj syntax adj notation adj one) or ASN.1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/13 11:40
-	1	(machine with language) with ((abstract adj syntax adj notation adj one) or ASN.1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/13 11:40
-	1	(machine with language) same ((abstract adj syntax adj notation adj one) or ASN.1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/13 11:42
-	31	machine same ((abstract adj syntax adj notation adj one) or ASN.1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/13 11:48
-	94	(object code) with ((abstract adj syntax adj notation adj one) or ASN.1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/13 11:51
-	0	(translat\$4 with (lookup adj table\$1)) and X.682	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/13 11:51
-	0	(translat\$4 with (lookup adj table\$1)) and X.683	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/13 11:51
-	0	(translat\$4 with (lookup adj table\$1)) and X.680	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/13 11:52

-	0	(translat\$4 with (lookup adj table\$1)) and (machine same ((abstract adj syntax adj notation adj one) or ASN.1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/13 11:52
-	4	(translat\$4 with (lookup adj table\$1)) and ((object code) with ((abstract adj syntax adj notation adj one) or ASN.1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/13 11:55
-	0	file\$1 with (extended adj grammar adj constructs)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/13 11:56
-	0	file\$1 same (extended adj grammar adj constructs)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/13 11:56
-	0	file\$1 with (extended near5 grammar near5 constructs)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/13 11:56
-	0	file\$1 with (extended near5 grammar near5 construct\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/13 11:56
-	2	file\$1 with (grammar near5 construct\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/13 11:57
-	8	X.680	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/13 12:10
-	0	(translat\$4 or convert\$4 or modif\$4) with (file\$1 with (X.680 or (Basic adj Notation)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/13 12:19
-	0	(translat\$4 or convert\$4 or modif\$4) same (file\$1 with (X.680 or (Basic adj Notation)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/13 12:20
-	476	(translat\$4 or convert\$4 or modif\$4) same (file\$1 with basic)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/13 12:20
-	0	(translat\$4 or convert\$4 or modif\$4) same (file\$1 with (basic adj grammar))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/13 12:20
-	2	(translat\$4 or convert\$4 or modif\$4) same (file\$1 with (basic with grammar))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/13 12:46
-	2	5991538.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/13 12:49

-	2	5432942.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/13 13:12
-	2	5546522.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/13 13:46
-	2	5812851.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/13 13:55
-	52	(translat\$4 or convert\$4 or modif\$4) near5 ((first adj file\$1) with (second adj file\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/13 13:58
-	0	file\$1 with (basic adj grammar adj construct\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/13 14:00
-	20	compil\$3 with (second adj file\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/13 14:00
-	1	((translat\$4 or convert\$4 or modif\$4) near5 ((first adj file\$1) with (second adj file\$1))) and (compil\$3 with (second adj file\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/13 14:01
-	2	X.683	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/13 15:08
-	0	convert\$3 with (grammar adj construct\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/13 15:15
-	1	convert\$3 with (grammar with construct\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/13 16:11
-	97	(translat\$5 or convert\$5 or modif\$5) with ((first or one) adj file\$1) with (second adj file\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/13 17:54
-	4	(translat\$4 with (lookup adj table\$1)) and ASN.1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/13 18:34
-	0	(translat\$4 or convert\$4 or modif\$4) near5 (file\$1 with (X.680 or (Basic adj Notation)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/14 08:40
-	0	((first or one) adj file\$1) with (extended with grammar with construct\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/14 08:41

-	2	52300497pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/11/14 08:51
---	---	-------------	---	---------------------